

# All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)

Nelson Mandela Marg, Vasant Kunj, New Delhi-110070 Website: [www.aicte-india.org](http://www.aicte-india.org)



## APPROVAL PROCESS 2020-21

### Extension of Approval (EoA)

F.No. Central/1-7004769338/2020/EOA

Date: 30-Apr-2020

To,

The Commissioner cum principal Secretary,  
Higher Education,  
D. K. S. Bhawan Mantralaya,  
Room No. 266, Raipur-492001 Chhattisgarh

#### Sub: Extension of Approval for the Academic Year 2020-21

Ref: Application of the Institution for Extension of Approval for the Academic Year 2020-21

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2020 notified by the Council vide notification number F.No. AB/AICTE/REG/2020 dated 4<sup>th</sup> February 2020 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

<b>Permanent Id</b>	1-4290312862	<b>Application Id</b>	1-7004769338
<b>Name of the Institute</b>	DANTESWARI COLLEGE OF PHARMACY	<b>Name of the Society/Trust</b>	SHAINA EDUCATIONAL TRUST
<b>Institute Address</b>	AT: HOUSE NO. 7/134, CIVIL LINE, WORD NO-7 INFORNT OF NEHUR MANCH, PO: JAGDALPUR, DIST: BASTAR- CHHATIGARH, BORPADAR, BASTAR, Chhattisgarh, 494221	<b>Society/Trust Address</b>	SHAINA EDUCATIONAL TRUST PLOT 623, 201 RENU NIVAS RASULGARH SQUARE, BHUBANESWAR, KHOR DHA., 751010
<b>Institute Type</b>	Private-Self Financing	<b>Region</b>	Central

#### To conduct following Courses with the Intake indicated below for the Academic Year 2020-21

Program	Level	Course	Affiliating Body (University /Body)	Intake Approved for 2019-20	Intake Approved for 2020-21	NRI Approval Status	PIO / FN / Gulf quota/ OCI/ Approval Status
PHARMACY	UNDER GRADUATE	PHARMACY	Chhattisgarh Swami Vivekanand Technical University, Bilai	100	100	NA	No
PHARMACY	DIPLOMA	PHARMACY	Chhattisgarh Swami Vivekanand Technical University, Bilai	60	60	NA	No